	Application No.	Applicant(s)
Notice of Allowability	09/849,345	PARK ET AL.
	Examiner	Art Unit
	William T. Leader	1742
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this or other appropriate communica GHTS. This application is subjection in the control of the contro	s application. If not included ation will be mailed in due course. THIS
1. This communication is responsive to the papers filed on April 29, 2005.		
2. The allowed claim(s) is/are 12 and 13.		
3. The drawings filed on <u>07 May 2001</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority unally All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application N	o
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		eply complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the 	on's Patent Drawing Review (Parent or in the displayed and the dis	he Office action of rawings in the front (not the back) of
 DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT F 		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summ Paper No./Mail B), 7. ☑ Examiner's Ame	Date .

Application/Control Number: 09/849,345 Page 2

Art Unit: 1742

1. Receipt of the papers filed on April 29, 2005 is acknowledged. Claims 1-11 and 14-18

have been canceled. As indicated in the previous office action, claims 12 and 13 are allowed.

Response to request for correction of inventorship under 37 CFR §1.48(b)

2. In view of the papers filed April 29, 2005, the inventorship in this nonprovisional

application has been changed by the deletion of Katsusuke Shimizu.

3. The application will be forwarded to the Office of Initial Patent Examination (OIPE) for

issuance of a corrected filing receipt, and correction of Office records to reflect the inventorship

as corrected.

Examiner's Amendment

4. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

5. The application has been amended as follows:

In the Title:

The title has been changed to --Liquid Treatment Method Using Alternating Electrical

Contacts--

Page 3 Application/Control Number: 09/849,345

Art Unit: 1742

6. This change has been made to bring the title into closer conformance with the subject

matter of the allowed claims.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to William T. Leader whose telephone number is 571-272-1245.

The examiner can normally be reached on Mondays-Thursdays and alternate Fridays, 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Roy King, can be reached on 571-272-1244. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Villiam Leader May 11, 2005

ROY KING SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 1700